



Aspetuck Health District 180 Bayberry Lane Westport, Connecticut 06880
T: 203.227.9571 F: 203.221.7199 W: www.aspetuckhd.org



SODIUM CHLORIDE RUNOFF DAMAGE REPORT FORM

In accordance with [Public Act 23-31](#), Section 19, each local health district/department is required to establish an electronic reporting system for the owner of any home or well that is damaged as the direct result of sodium chloride run-off to register such damage with the local health district/department. Not later than January 1, 2024, and each year thereafter, each local health district/department shall submit any report received pursuant to this section during the previous calendar year to the Office of Policy and Management. The Secretary of the Office of Policy and Management may identify any available state or federal financial resources to assist such owners with the costs of remediation, mitigation or repair of such homes or wells and establish any criteria and procedures for the issuance of any such financial assistance to such owners.

AHD is not responsible for the reviews or any determinations associated with the submitted claims.

To report such damage, please complete and submit the form below publichealth@aspetuckhd.org

Important: All fields are required and must be completed to guarantee the report will be reviewed.

Please submit reports via email to Aspetuck Health District at publichealth@aspetuckhd.org

I hereby attest to my understanding that the filing of this report form indicates my consent for the report to be transmitted to the State of Connecticut, Office of Policy and Management in accordance with Section 19 of Public Act 23-31 and that this report is for informational purposes only and in no way binds the State of Connecticut to provide financial remediation to the filer and that filing of this form does not guarantee nor should it be filed with the expectation of receipt of financial remediation from the State of Connecticut.

I hereby attest that to the fullest extent of my knowledge, the damage reported on this form is the direct result of sodium chloride runoff.

(1) Name: Click or tap here to enter text.

(2) Address: Street: Click or tap here to enter text. **City/Town:** Click or tap here to enter text. **Zip Code:** Click or tap here to enter text.

(3) Phone Number: Primary: Click or tap here to enter text. **Alternate:** Click or tap here to enter text.

(4) Email Address: Click or tap here to enter text.

(5) Damaged Item(s) (e.g., water heater, piping, dish washer, clothes washer, well casing):

Click or tap here to enter text.

NOTE: If you need to remove a damaged item(s) it is strongly recommended that you take a picture of the damage and preserve relevant documentation in case it is needed for future claims.

(6) Description of Damage: Click or tap here to enter text.

(7) Date of Purchase of Damaged Item: Click or tap here to enter text.

(8) Purchase Price of Damaged Item: Click or tap here to enter text.

NOTE: It is highly suggested that you attach a receipt/invoice proving the date and purchase price of the damaged appliance/item.

(9) Attach Water Quality Test Results for Sodium and Chloride from A DPH Approved Laboratory (test results can be uploaded). You can find a list of DPH approved water testing laboratories here: <https://portal.ct.gov/dph/Environmental-Health/Environmental-Laboratory-Certification/Environmental-Laboratory-Certification>